
UCN Storage Time and Decay Product Identification Tests at NIST

S.N. Dzhosuyk, L. Yang, A. Copete, and J.M. Doyle, Harvard University M. Cooper, P. Barnes, S.K. Lamoreaux, and S. Penttila, LANL R. Golub and E. Korobkina, HMI; M.E. Hayden, Simon Fraser University J.-C. Peng, UIUC; A.Q. Ye, Duke University A.K. Thompson, NIST; P.R. Huffman, NC State/NIST

Objectives

- Characterize the storage time of UCNs in an acrylic cell coated with dTPB/dPS
- Quantify the efficiencies we should expect when using the particle ID techniques developed at HMI
- Measure the T⁷ dependence of the 2-phonon scattering process.

Storage Time Tests



- cell dimensions:
 - OD = 3.25", ID = 2.25", WT = 0.5", length 28"
- Thickness of He in front of the cell ≈ 2"
- Thickness of the entrance window 1/16"
- dTPB coating ERDA analysis showed the coating thickness is $\approx 9-10 \,\mu\text{m}$

Neutron beam $\lambda = 0.89$ nm,

Intensity N \approx 6500 n/s before entrance window

Transmission ≈ 30 % at 300 K

Inelastic scattering is estimated to contribute $\approx 50 \%$ (typical value per proton $\sigma_{ie} \approx 6$ b for thermal neutrons)


: transmission $\approx 80\%$ at T \leq 1K minus absorption in 2" of He when 3He is present

Basic Idea of the Storage Experiment

- Measure the lifetime of UCN in the bottle at T = 300 mK
- Rough estimate of ~20 s⁻¹ neutron count rate, ~20 s⁻¹ backgrounds
- Measure the lifetime of UCN in the bottle at T = 1.2 K (basically a measurement of the backgrounds)

Nomenclature


Pulse - height spectra of cell PMTs




"Cold" Data

Run conditions:


- Loading for 900 s
- Observing for 2000 s




"Warm" Data



"Cold" - "Warm"




Rough Calibration




Average pulse size (in area units), requiring quadruple coincidence between two cell PMTs and two muon detectors

Pulse Areas



Ar gas calibrations




Discrimination Technique

Basic idea:

- neutron decay and background events generate scintillations via electrons
- neutron capture events generate scintillation events via alphas
- For a given pulse height for the singlet pulse, the number of triplet-state afterpulses will be greater for the neutron capture events.

HMI tests



Total count rate ≈ few KHz,


 $20\,\%$ of events with amplitude $A_m>3\,A_S$ of single pulses were selected for analyses and shown on $\,$ 2D plots

Neutron peak is ≈ 30 p.e. with ≈ 10 after pulses in the range [0.5,4.5] µs


Clear separation of the neutron (top) and gamma's was observed for solution of

 3 He $1\% + ^{4}$ He 99%

And for the beam position fixed relative to the light guide




NIST run



Measurements performed at:

- T= 4 K, empty cell, count rate 80 s⁻¹
- T= 1 K, isotopically pure ⁴He, 120 s⁻¹
- T= 700 mK, different ³He concentrations:
 - natural He $(10^{-7} \, ^3\text{He})$, 140 s⁻¹
 - slightly more ³He , 145 s⁻¹
 - \approx 76 ppm of ³He, 450 s⁻¹
- Count rate with the beam closed with Li-rubber 40 s⁻¹ (mostly due to muons, no veto)


Geometry of the cell and efficiency of registration




Efficiency was measured in the test cryostat with Ar gas, 0.33 bar, 41 Am alpha source, $E \approx 5.5$ MeV, alpha range \approx cm's, in LHe - mkm's


With 76 ppm of ³He only small neutron pulses were seen by the detector. In addition the dead time (300us for periodic ≈ 3ms for statistical signal) was too long to count all signals.

It is clear that pulses with area <20 come from the far half of the cell. Probability to detect after-pulses is negligible.



Monte Carlo Simulation of Detection Efficiency






- First, a neutron energy is random generated according to the energy distribution function
- Secondly, the position of the neutron in the cell is randomly generated.
- From calibration data on the position dependence of the detection efficiency, we can scale to get the average number of p.e. in each PMT.
- We model the pulse height spectrum in each PMT with a Gaussian function, and integrate the total area above the require threshold, this represents the probability that this event will be detected by this particular PMT.
- Finally we multiply the detection probability in the two PMTs, then average over all randomly generated decay events.

The calculated detection efficiency:

Neutron Lifetime cell: 65% at 3 p.e. cut

EDM cell: 60% at 2 p.e. cut



Background and ³He signals


Empty cell,

T = 4K, count rate 80 Hz, scintillations in PMMA

Ultra Pure Helium-4, T = 1000 mK, count rate 120 Hz= scintillations in PMMA 80HZ + scintillations in LHe 40 Hz

Helium-4 + He-3 (appr. as Natural mixture, few 0.1 ppm),
T = 700 mK,
Total count rate 145 Hz,
Neutrons 25 Hz

Neutron signals




3D and 2D plots show difference

(few 0.1 ppm) - (Ultrapure ⁴He),

(strictly speaking, it is not correct due to possible temperature dependence of amplitude and after-pulsing rate)

Pulse area is plotted above 20 = 4 p.e., i.e. assuming signals from the half of the cell closer to the light guide

Neutron signals have maximum peak at 8-10 p.e. (30 p.e. at HMI) and 2.5 after-pulses (10 at HMI)



Conclusions

- The neutron count rate (He-3 concentration), lower limit for the main pulse (two low), triggering time (too long) were not optimal for the study as well as cell geometry (too long). *The clear separation of the neutrons and background was not observed in this test.* The amplitude of the neutron signals (in p.e.) and number of after-pulses are at least ≈ 3 times less than at HMI.
- Possible reasons are
 - temperature dependence of the main pulse amplitude and after-pulsing rate
 (will be studied in more simple geometry at HMI, at temperatures down to 300 mK)
 - broadening of the neutron peak towards lower amplitudes due to geometry
 (the cell of EDM proposal is shorter and wider (50x10.2x7.6 cm) that studied at NIST)
 - TPB coating of HMI and NIST cells were made with different techniques and different content of TPB; also the thickness is very different (<1 mkm at HMI, 10 mkm test cell). Probably the detection efficiency could be increased by optimization of the coating.